

TOXIC, CORROSIVE, ECOTOXIC
KEEP OUT OF REACH OF CHILDREN

YIELD™

Contains: 500g/litre benzalkonium chloride
in the form of a soluble concentrate

151015

**For the control of moss, lichen,
liverwort and algae**



PLEASE READ THE ENTIRE LABEL BEFORE USE.

HAZARD CLASSIFICATION: 6.1C, 6.5A, 6.5B, 6.9B, 8.2C, 8.3A, 9.1A, 9.3B.

APPROVED HANDLER: This product must be under the control of an approved handler or locked up. See MSDS for details.

TRACKING: This product must be tracked. See MSDS for details.

RECORD KEEPING: Records must be kept if more than 200mL of this product is applied or discharged within 24 hours. See MSDS for details.

DANGER: Corrosive to skin and eyes and may cause skin burns and eye damage. May be fatal if swallowed, inhaled or absorbed through the skin. May cause respiratory sensitisation if inhaled.

WARNING: May cause sensitisation from prolonged skin contact. May cause organ damage from repeated high oral exposure at high doses.

FIRST AID: If swallowed DO NOT induce vomiting. For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If splashed in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to stop by the National Poisons Centre, or for at least 15 minutes.

PERSONAL PROTECTION: Avoid skin and eye contact and inhalation of spray mist. Gloves should be worn at all times. Wear eye protection when handling the concentrate. Ensure adequate ventilation when handling the concentrate. Remove protective clothing and wash hands and face thoroughly before meals and after work. Wash protective clothing daily after work. DO NOT eat, drink or smoke while using this product.

STORAGE: Store in original container, tightly closed, away from foodstuffs and under lock and key.

DISPOSAL: Triple rinse empty container and add rinsate to the spray tank. If recycling, discard cap and deliver clean container to an Agrecovery depot. Alternatively crush and bury in an approved landfill. Dispose of product only by using according to this label, or at an approved disposal facility.

ECOTOXIC: Very toxic to aquatic organisms. Avoid contamination of any water supply with product or empty container. Toxic to terrestrial vertebrates.

MATERIAL SAFETY DATA SHEET: Additional information is listed in the MSDS available from Zelam Limited or www.zelam.com

Approved pursuant to the HSNO Act 1996, No: HSR000822. See www.epa.govt.nz for approval conditions.

Registered pursuant to the ACVM Act 1997, No: P004927 See www.foodsafety.govt.nz for registration conditions.

It is an offence to use this product on animals.

DIRECTIONS FOR USE

It is an offence for users of this product to cause residues exceeding the relevant MRL in the New Zealand (Maximum Residues Limits of Agricultural Compounds) Food Standards.

AREA OF USE	RATE	DIRECTIONS
GLASSHOUSES	100 - 200 ml/10 litres of water	Spray to run off and leave for 24 hours. For big problem areas: wash 24 hours after first spray and reapply. Repeat where necessary.
PATIO AREAS, PATHS & DRIVEWAYS: concrete, asphalt, & cobblestones	200 ml/10 litres of water	For heavy infestation clean off after 48 hours and reapply. Repeat if necessary.
POTTED ORNAMENTALS	100 - 150 ml/10 litres of water	Spray media/soil in pot, ensuring good coverage of liverwort and moss. Where spray contacts foliage, irrigate within 30 minutes of application to wash spray from foliage.
SANITISER	75 ml/10 litres of water	Use as a wash or spray as required.
SHADE CLOTH, WINDBREAK, SYNTHETIC TURF, WEEDMAT	150 ml/10 litres of water	Spay on area to be treated.
TURF: fine turf & cotula	250 - 500 ml/10 litres of water or 2 - 5 litres/100 litres/1000m ²	Ensure the area to be treated is thoroughly wet first. Use higher rate where severe moss infestations are present. Best results will be achieved under warm active growth conditions.
Vegetable & fruit boxes. Patio conainers, earthenware & ornatments	100 ml/10 litres of water	Remove excess dirt and dip in a solution for 30 minutes, remove and allow to dry.

MIXING: Yield will foam on application and agitation. When mixing add Yield after filling the spray tank with the appropriate amount of water.

METHOD OF APPLICATION: Apply ensuring the treated area is thoroughly wet. CAUTION: Do not apply to soft seedlings or lower order plants such as ferns. Drought stressed plants may also be adversely affected. When applying to growing plants test a small sample to ensure that treatment will not be harmful. The foliage of some plants may be damaged if contacted with the spray.

NOTICE TO BUYER: The manufacturers and vendors of Yield warrant the formulation to contain the specified active ingredients within accepted tolerance but make no warranty of any kind on the uses of material and accept no responsibility, whether the material be used in accordance with the directions or not.

REGISTERED TO: Tapuae Partnership,
Hudson Road, New Plymouth, NZ.
Tel: 06-755-9234 Fax: 06-755-1174
EMERGENCY PHONE: 0800 CHEMCALL 0800 243 6225



BATCH NO:

D.O.M:

YIELD 151015